

Multiple Clock Locations

Last Modified on 12/27/2018 2:29 pm EST

Create additional Clock IDs to use the Clock in more than one room or location at a time. Additional Clock IDs can be requested through Support. See [Set Up the Clock](#).

Location Specific Clock IDs

If a Clock ID only launches the Clock at a single location, assign the Location to the Clock ID to make launching the Clock even simpler!

The screenshot shows the 'User: CARECLOCK' configuration page. On the left is a sidebar with navigation links: USER DETAILS, USER PERMISSIONS, USER ACCESS-LOCATIONS (highlighted with a yellow box), USER ACCESS-CATEGORY1, and USER ACTIVITY. The main content area is titled 'User Access-Locations' and includes a sub-header: 'Limit which Family, Student and Class information is available based on location. The location "ALL LOCATIONS" overrides any other values. This does not apply to Staff person information.' Below this is a table with columns 'Loc Code', 'Location Name', and 'Setting'. The table contains four rows: 1. ALL LOCATIONS, ALL LOCATIONS; 2. JR, Jackrabbit; 3. OAK, Oakwood; 4. WEST, Westwood. The 'Setting' column has checkboxes, with the checkbox for 'OAK' checked and highlighted by a yellow box. A callout box points to this checkbox with the text: 'If a Clock ID is just for one Location, assign the Location here to simplify the Clock launch.'

	Loc Code	Location Name	Setting
1	ALL LOCATIONS	ALL LOCATIONS	<input type="checkbox"/>
2	JR	Jackrabbit	<input type="checkbox"/>
3	OAK	Oakwood	<input checked="" type="checkbox"/>
4	WEST	Westwood	<input type="checkbox"/>

All Location Clock IDs

If a Clock ID may launch Location A one day....then Location B another day, do not assign a Location to the Clock. Leave the default of ALL LOCATIONS and choose which one to use upon Clock launch.

A valid PIN can be entered on any launched Clock Location. If no Students on that PIN are in Classes at that Location, there will be no one to check in.

The screenshot shows the 'User: CARECLOCK' configuration page. On the left is a sidebar with navigation links: USER DETAILS, USER PERMISSIONS, USER ACCESS-LOCATIONS (highlighted with a yellow box), USER ACCESS-CATEGORY1, and USER ACTIVITY. The main content area is titled 'User Access-Locations' and includes a sub-header: 'Limit which Family, Student and Class information is available based on location. Note: Staff The location "ALL LOCATIONS" overrides any other values. This does not apply to Staff person information.' Below this is a table with columns 'Loc Code', 'Location Name', and 'Setting'. The table contains four rows: 1. ALL LOCATIONS, ALL LOCATIONS; 2. JR, Jackrabbit; 3. OAK, Oakwood; 4. WEST, Westwood. The 'Setting' column has checkboxes, with the checkbox for 'ALL LOCATIONS' checked and highlighted by a yellow box. A callout box points to this checkbox with the text: 'Allows Clock ID to be launched at any Location. Each Clock login will require the user to select a Location.'

	Loc Code	Location Name	Setting
1	ALL LOCATIONS	ALL LOCATIONS	<input checked="" type="checkbox"/>
2	JR	Jackrabbit	<input type="checkbox"/>
3	OAK	Oakwood	<input type="checkbox"/>
4	WEST	Westwood	<input type="checkbox"/>

